



VELARI

CURATED SPACES / CONSIDERED DETAILS

PRODUCT CATALOGUE

Kitchen and water systems

Explore selected sinks, kitchen faucets and water pumps for your next project in Jamaica.



05 SINKS

02 FAUCETS

03 WATER PUMPS

Available to order

Send the product code and quantity to request a quotation.
Stock, specifications and delivery timing are confirmed before ordering.

info@nbsourcingco.com

NB Sourcing & Distribution | Kingston, Jamaica



Kitchen sinks

Single and double bowls in stainless steel, with three pre-drilled faucet holes.



AQUAFINA

Single bowl sink

A-SINK1919-GM

A compact square sink with a gunmetal grey finish.

Overall size: 19 x 19 in (48 x 48 cm)

Bowl size: 39 x 34 cm

Material: stainless steel



AQUAFINA

Double bowl sink

A-SINK3319

Two equal bowls with a chrome finish.

Overall size: 33 x 19 in (83 x 48 cm)

Each bowl: 36 x 36 cm

Material: stainless steel



AQUAFINA

Double bowl sink

A-SINK3319-BK

Two equal bowls with a matte black finish.

Overall size: 33 x 19 in (83 x 48 cm)

Each bowl: 36 x 36 cm

Material: stainless steel



Sinks with a drainer

A single bowl with an integrated left-side drainer for drying kitchenware.



AQUAFINA

Left drainer sink

A-SINK4020L-BK

Stainless steel with a matte black finish.

Overall size: 40 x 20 in (100 x 50 cm)

Bowl size: 41 x 36 cm

Three pre-drilled faucet holes



AQUAFINA

Left drainer sink

A-SINK4020L-GM

Stainless steel with a gunmetal grey finish.

Overall size: 40 x 20 in (100 x 50 cm)

Bowl size: 41 x 36 cm

Three pre-drilled faucet holes

Before ordering, confirm the counter cut-out, bowl depth and installation requirements for your project.



Kitchen faucets

Single-handle faucets in black and gunmetal grey finishes.



AQUAFINA

Kitchen faucet

A-YP9148-BK

A metal-body faucet with a black finish and four jet modes.

360-degree rotation; quarter-turn operation

Installation connection: 1/2 in

Single-temperature use



AQUAFINA

Kitchen faucet

A-YP9148-GM

A metal-body faucet with a gunmetal grey finish and four jet modes.

360-degree rotation; quarter-turn operation

Installation connection: 1/2 in

Single-temperature use

These models use one water temperature. Confirm faucet fit and any accessories needed for a three-hole sink.



Water pumps

Centrifugal pumps for clean-water applications. Enquire for project suitability.



U.S.A. HARDWARE

Centrifugal water pump

U-CPM146

A 3/4 HP model for clean-water transfer and supply applications.

Rated power: 550 W (3/4 HP)

Electrical rating: 110 V / 60 Hz



U.S.A. HARDWARE

Centrifugal water pump

U-CPM180

A 1.5 HP model for clean-water transfer and supply applications.

Rated power: 1,100 W (1.5 HP)

Electrical rating: 110 V / 60 Hz



U.S.A. HARDWARE

Stainless steel pump

U-ATMS-2200B

A centrifugal pump with a stainless steel body.

Listed power: 2,200 W (3 HP)

Electrical rating: confirm before ordering

Pump selection depends on the required flow, pressure and installation conditions. Ask Velari to confirm specifications for your intended use.